

tiles
colors
passion

BRIOLETTE

 TONALITE



BRIOLETTE

FORMATI
SIZES

10x20 . 4"x8"

COLORI
COLOURS

ZAFFIRO

TOPAZIO

GIADA

SMERALDO

OLIVITE

MADREPERLA

DIAMANTE

QUARZO



SPESSORE
THICKNESS


9

TECNOLOGIA
TECHNOLOGY

Gres smaltato Cat. Blla
Glazed ceramic Cat. Blla

1
Diamante BRI20DI
10x20 . 4"x8"

2
Giada BRI20GI
10x20 . 4"x8"



ZAFFIRO

TOPAZIO

10x20 . 4"x8" **BRI20ZA** **BRI20TO**



GIADA

DIAMANTE

10x20 . 4"x8" **BRI20GI** **BRI20DI**



SMERALDO

OLIVITE

10x20 . 4"x8" **BRI20SM** **BRI20OL**



MADREPERLA

QUARZO

10x20 . 4"x8" **BRI20MA** **BRI20QU**

PEZZI SPECIALI
SPECIAL TRIMS

	Bordo 3,5x20 . 1.4"x8"		Ang. Esterno Terminale 2x3,5 . 0.8"x1.4"		Ang. Specchio Terminale 3,5x3,5 . 1.4"x1.4"
	Torello 1,5x20 . 0.6"x8"		Sguscio Torello 1,5x1,5 . 0.6"x0.6"		
	Quarter Round 3x20 . 1.2"x8"		Ang. Quarter Round 3x3 . 1.2"x1.2"		
	Profilo Jolly 1,2x20 . 0.4"x8"		Angolo Profilo Jolly 1,2x1,2 . 0.4"x0.4"		

Pezzi speciali a richiesta su tutti i colori della gamma.

Special Trims on request on all the colours of the range.

IMBALLI
PACKAGING

Formato Size	Spessore/mm Thickness/mm	Pezzi/Scatola Pieces/Box	m ² /Scatola Sq.Mt/Box	Scatole/Pallet Box/Pallet	m ² /Pallet Sq.Mt/Pallet	kg/m ² Kg/Sq.Mt
10x20 . 4"x8"	9	50	1,00	80	80,00	17,10

PROCEDURA PER LA POSA
PROCEDURE FOR THE LAYING


Al fine di prevenire qualunque tipo di problema connesso alla natura dello smalto utilizzato per ottenere la caratteristica finitura "craquelé", la collezione Kraklè deve essere trattata come descritto qui di seguito:

- 1 . posare le piastrelle;
- 2 . utilizzare esclusivamente un sigillante cementizio bianco;
- 3 . pulire accuratamente le piastrelle con un prodotto non acido (ad esempio Fila Cleaner);
- 4 . una volta che le piastrelle sono pulite ed asciutte stendere su di esse uno strato uniforme di prodotto protettivo (ad esempio Fila MP90).

In order to avoid any problem connected with the nature of the glaze used to obtain the typical "craquelé" finish, Kraklè collection must be treated as follows:

- 1 . lay down the tiles;
- 2 . apply only white cementitious grout;
- 3 . clean well the tiles with a non-acid product (such as Fila Cleaner);
- 4 . once tiles are clean and dry lay an uniform coat of protector (such as Fila MP90).



 **Diamante BR120DI**
10x20 . 4"x8"

tiles
colors
passion

BRIOLETTE

 TONALITE